INEOS GRENADIER





Vehicle Ref No #

5646



My Grenadier

1 Vehicle and Powertrain

Model Grenadier

Station Wagon

5-Seat

Trim Trialmaster Edition

Engine BMW 3.0L Twin-Turbo Diesel, Straight-Six

Diesel Water Separator

Transmission 8-Speed Automatic Transmission with Manual

2 Exterior

Body Colour Scottish White

Contrast elements -Painted Contrast Ladder Frame - Black

Wheels 17" Steel Wheel

Tyres BFGoodrich All-Terrain T/A KO2 Tyre

Options and

accessories

Exterior Utility Belt

Access Ladder

3 Interior

Interior Trim Utility Trim

Comfort Nappa Leather Driver's Pack

Central Stowage Box, Lockable

Infotainment Compass with Altimeter

Flooring Heavy Duty Loadspace Flooring

Heavy Duty Utility Flooring with Drain Valves



4 Utility

Packs Rough Pack

Smooth Pack

Off-road Centre Differential Lock

Differential Locks Front & Rear

Raised Air Intake

Winching & Towing

Fixed Towball and Electrics

Power Auxiliary Charge Points

Auxiliary Battery

High Load Auxiliary Switch Panel & Electrical

Interior cargo Interior Utility Rails

Safety, security and convenience

Anti-Theft Alarm & Immobiliser

Advanced Anti-Theft Alarm & Immobiliser

Park Assist Rear (PDC) Rear-View Camera

Power Heated Exterior Mirrors Heated Windscreen Washer Jets

Roadside Emergency Kit

Roadside Emergency Kit Plus

Park Assist Front (PDC)

INEOS GRENADIER

Key Features

- ZF 8-Speed Automatic Transmission
- Full Box-Sectioned Ladder Frame Chassis (KTL & Powder Coated)
- Carraro Beam Axles Front & Rear
- Heavy Duty Coil Suspension
- Permanent Four-Wheel Drive
- Centre Differential Lock
- Two-Speed Transfer Case
- Galvanised Steel Body
- Front & Rear Skid Plates (Underride Protection)
- LED Auxiliary High Beam Lights
- 30/70 Split Rear Doors
- Central Control System
- Overhead Control Panel
- Full-Size Spare Wheel
- Toot Button
- Off-Road & Wading Modes
- Pathfinder Off-Road Navigation
- RECARO Seats
- LED Headlights
- Roof Rails & Roof Protection Strips
- Towing Eyes Front & Rear




Technical Specification

Dimens	ions	and	can	ahil	itv
	10113	and	cap	abii	ıty

Difference and supublify	
Length (including full-size spare wheel)	4,896 mm
Width (including mirrors)	2,146 mm
Height	2,036 mm
Wheelbase	2,922 mm
Ground clearance	264 mm
Wading depth	800 mm
Approach angle	36.2 degrees
Departure angle	36.1 degrees
Breakover angle	28.2 degrees
Permanent 4X4	Yes
Transfer case	Two-Speed
Towing capacity	3,500 kg
Performance	
Transmission	
	Automatic
Engine	DIESEL EURO 4
F 1 (DC)	
Engine power (PS)	249
Engine power (HP)	245
Max torque (Nm)	550
Max torque (lb-ft)	406



Tyre label



Warranty & servicing

Base warranty

Paint warranty

Anti-perforation warranty

Service intervals

Consumption & emissions

Fuel consumption - combined

CO2 emissions - combined

9.300 I/100 km

247 g/km



Important information